Landover
Page: 68   October 2011

Existing Bike Parking
- Locker
- Inverted U
- Inverted U on Sled
- Ring and Post
- Custom Art / Other
- Wave / School Rack
- Rack 3
- ◯ (Recommend Construct Cover)
- ✕ (Remove Parking)

New Bike Parking
- Standard Locker
- Inverted U
- Bike & Ride
- Bike Station
- Covina Modular
- On Demand Locker
- Bike Share
- Construct Cover
- Use Existing Cover

Spot Improvement
- Install or Restripe Crosswalk
- Install Raised Crosswalk
- Install or Repair Curb Ramp
- Install Curb Extension
- Install Crossing Island/Median
- Widen or Reconstruct Island
- Ped Signal Recommendation
- Install Saftey Signs
- Improve Intersection General
- Add Wayfinding to Bike Parking
- Add Wayfinding Signs
- Address Security Issue
- Address Bike Ped Conflict Zone
- Address Barrier or Obstruction
- Other Spot Improvement

Path Recommendations
- Construct New Path
- Widen Existing Path
- Repair/Resurface

On Street Bike Facility
- Bike Lane
- Sharrow
- ★ Station Entrance
- Ⓜ Metro Station
- Desire Line

This map is for planning purposes. The data elements are not drawn to scale; however, in some cases dimensions and other measurements are provided in the associated database. The map reflects the approximate location of engineering analysis, design, or public input may be required before implementation. In some cases, further study will be required. Drainage, existing utilities and ADA compliance will need to be evaluated for all recommendations at the time of design and right-of-way was not evaluated as a part of this project.

Shepherd St
Randolph St
Parkwood St
Landover
Ⓜ
50
50
Standish Dr
Pennsy Dr

0   200   400   800   1,200   1,600 Feet

Existing Bike Parking

- Locker
- Inverted U
- Inverted U on Sled
- Ring and Post
- Custom Art / Other
- Wave / School Rack
- Rack 3
- (Recommend Construct Cover)
- (Remove Parking)

New Bike Parking

- Standard Locker
- Inverted U
- Bike & Ride
- Bike Station
- Covina Modular
- On Demand Locker
- Bike Share
- Construct Cover
- Use Existing Cover

Spot Improvement

- Install or Restripe Crosswalk
- Install Raised Crosswalk
- Install or Repair Curb Ramp
- Install Curb Extension
- Install Crossing Island/Median
- Widen or Reconstruct Island
- Ped Signal Recommendation
- Install Saftey Signs
- Improve Intersection General
- Add Wayfinding to Bike Parking
- Add Wayfinding Signs
- Address Security Issue
- Address Bike Ped Conflict Zone
- Address Barrier or Obstruction
- Other Spot Improvement

Path Recommendations

- Construct New Path
- Widen Existing Path
- Repair/Resurface

On Street Bike Facility

- Bike Lane
- Sharrow
- Station Entrance
- Metro Station
- Desire Line

This map is for planning purposes. The data elements are not drawn to scale; however, in some cases dimensions and other measurements are provided in the associated database. The map reflects the approximate location of recommendations and shows only a portion of the data collected. Additional engineering analysis, design, or public input may be required before implementation. In some cases, further study will be required for all recommendations at the time of design and right-of-way was not evaluated as a part of this project.

0   55   110   220   330   440 Feet

Existing Bike Parking

- Locker
- Inverted U
- Inverted U on Sled
- Ring and Post
- Custom Art / Other
- Wave / School Rack
- Rack 3
- (Recommend Construct Cover)
- (Remove Parking)

New Bike Parking

- Standard Locker
- Inverted U
- Bike & Ride
- Bike Station
- Covina Modular
- On Demand Locker
- Bike Share
- Construct Cover
- Use Existing Cover

Spot Improvement

- Install or Restripe Crosswalk
- Install Raised Crosswalk
- Install or Repair Curb Ramp
- Install Curb Extension
- Install Crossing Island/Median
- Widen or Reconstruct Island
- Ped Signal Recommendation
- Install Saftey Signs
- Improve Intersection General
- Add Wayfinding to Bike Parking
- Add Wayfinding Signs
- Address Security Issue
- Address Bike Ped Conflict Zone
- Address Barrier or Obstruction
- Other Spot Improvement

Path Recommendations

- Construct New Path
- Widen Existing Path
- Repair/Resurface

On Street Bike Facility

- Bike Lane
- Sharrow
- Station Entrance
- M Metro Station
- Desire Line

Largo Town Center

Summit Cir
Zachary St
Reiker Dr
Picard Ln
Crusher Ct
Laforge Ln
Picard Ln
Risa Rd
Lake Largo Dr
Lake Largo Dr
Town Center Cir
Lottsford Rd
Largo Dr W
N Harry S Truman Dr

95
95

0   245   490   980   1,470   1,960
Feet

This map is for planning purposes. The data elements are not drawn to scale; however, in some cases dimensions and other measurements are provided in the associated database. The map reflects the approximate location of recommendations and shows only a portion of the data collected. Additional engineering analysis, design, or public input may be required before implementation. In some cases, further study will be required for all recommendations at the time of design and right-of-way was not evaluated as a part of this project.

Largo Town Center

M

Existing Bike Parking

- Locker
- Inverted U
- Inverted U on Sled
- Ring and Post
- Custom Art / Other
- Wave / School Rack
- Rack 3
- (Recommend Construct Cover)
- (Remove Parking)

New Bike Parking

- Standard Locker
- Inverted U
- Bike & Ride
- Bike Station
- Covina Modular
- On Demand Locker
- Bike Share
- Construct Cover
- Use Existing Cover

Spot Improvement

- Install or Restripe Crosswalk
- Install Raised Crosswalk
- Install or Repair Curb Ramp
- Install Curb Extension
- Install Crossing Island/Median
- Widen or Reconstruct Island
- Ped Signal Recommendation
- Install Saftey Signs
- Improve Intersection General
- Add Wayfinding to Bike Parking
- Add Wayfinding Signs
- Address Security Issue
- Address Bike Ped Conflict Zone
- Address Barrier or Obstruction
- Other Spot Improvement

Path Recommendations

- Construct New Path
- Widen Existing Path
- Repair/Resurface

On Street Bike Facility

- Bike Lane
- Sharrow
- Station Entrance
- Metro Station
- Desire Line

This map is for planning purposes. The data elements are not drawn to scale; however, in some cases dimensions and other measurements are provided in the associated database. The map reflects the approximate location of recommendations and shows only a portion of the data collected. Additional engineering analysis, design, or public input may be required before implementation. In some cases, further study will be required. Drainage, existing utilities and ADA compliance will need to be evaluated for all recommendations at the time of design and right-of-way was not evaluated as a part of this project.

0   55   110   220   330   440
Feet

Map Labels

- Maryland Ave SW
- C St SW
- D St SW
- Virginia Ave SW
- 9TH St SW
- 7TH St SW
- 6TH St SW
- METRO L'Enfant Plaza
- VRE L'Enfant Plaza Station
- Capital Gallery
- L'Enfant Plaza
- US Dept of Housing and Urban Dvlpt

Legend

L'Enfant Plaza
A
10/13/2011   1:1,110

Existing Bike Parking
- Locker
- Inverted U
- Inverted U on Sled
- Ring and Post
- Custom Art / Other
- Wave / School Rack
- Rack 3
- (Recommend Construct Cover)
- (Remove Parking)

New Bike Parking
- Standard Locker
- Inverted U
- Bike & Ride
- Bike Station
- Covina Modular
- On Demand Locker
- Bike Share
- Construct Cover
- Use Existing Cover

Spot Improvement
- Install or Restripe Crosswalk
- Install Raised Crosswalk
- Install or Repair Curb Ramp
- Install Curb Extension
- Install Crossing Island/Median
- Widen or Reconstruct Island
- Ped Signal Recommendation
- Install Saftey Signs
- Improve Intersection General
- Add Wayfinding to Bike Parking
- Add Wayfinding Signs
- Address Security Issue
- Address Bike Ped Conflict Zone
- Address Barrier or Obstruction
- Other Spot Improvement

Path Recommendations
- Construct New Path
- Widen Existing Path
- Repair/Resurface

On Street Bike Facility
- Bike Lane
- Sharrow
- Desire Line
- Station Entrance
- Metro Station

This map is for planning purposes. The data elements are not drawn to scale; however, in some cases dimensions and other measurements are provided in the associated database. The map reflects the approximate location of recommendations and shows only a portion of the data collected. Additional engineering analysis, design, or public input may be required before implementation. In some cases, further study will be required. Drainage, existing utilities and ADA compliance will need to be evaluated for all recommendations at the time of design and right-of-way was not evaluated as a part of this project.

0   75   150   300   450   600 Feet

Page: 1

South Dr

Wood Rd

Medical Center

M

Existing Bike Parking

- Locker
- Inverted U
- Inverted U on Sled
- Ring and Post
- Custom Art / Other
- Wave / School Rack
- Rack 3
- (Recommend Construct Cover)
- (Remove Parking)

New Bike Parking

- Standard Locker
- Inverted U
- Bike & Ride
- Bike Station
- Covina Modular
- On Demand Locker
- Bike Share
- Construct Cover
- Use Existing Cover

Spot Improvement

- Install or Restripe Crosswalk
- Install Raised Crosswalk
- Install or Repair Curb Ramp
- Install Curb Extension
- Install Crossing Island/Median
- Widen or Reconstruct Island
- Ped Signal Recommendation
- Install Saftey Signs
- Improve Intersection General
- Add Wayfinding to Bike Parking
- Add Wayfinding Signs
- Address Security Issue
- Address Bike Ped Conflict Zone
- Address Barrier or Obstruction
- Other Spot Improvement

Path Recommendations

- Construct New Path
- Widen Existing Path
- Repair/Resurface

On Street Bike Facility

- Bike Lane
- Sharrow
- Station Entrance
- M Metro Station
- Desire Line

This map is for planning purposes. The data elements are not drawn to scale; however, in some cases dimensions and other measurements are provided in the associated database. The map reflects the approximate location of recommendations and shows only a portion of the data collected. Additional engineering analysis, design, or public input may be required before implementation. In some cases, further study will be required. Drainage, existing utilities and ADA compliance will need to be evaluated for all recommendations at the time of design and right-of-way was not evaluated as a part of this project.

0   65   130   260   390   520   Feet

Existing Bike Parking

- Locker
- Inverted U
- Inverted U on Sled
- Ring and Post
- Custom Art / Other
- Wave / School Rack
- Rack 3

- (Recommend Construct Cover)
- (Remove Parking)

New Bike Parking

- Standard Locker
- Inverted U
- Bike & Ride
- Bike Station
- Covina Modular
- On Demand Locker
- Bike Share
- Construct Cover
- Use Existing Cover

Spot Improvement

- Install or Restripe Crosswalk
- Install Raised Crosswalk
- Install or Repair Curb Ramp
- Install Curb Extension
- Install Crossing Island/Median
- Widen or Reconstruct Island
- Ped Signal Recommendation
- Install Saftey Signs
- Improve Intersection General
- Add Wayfinding to Bike Parking
- Add Wayfinding Signs
- Address Security Issue
- Address Bike Ped Conflict Zone
- Address Barrier or Obstruction
- Other Spot Improvement

Path Recommendations

- Construct New Path
- Widen Existing Path
- Repair/Resurface

On Street Bike Facility

- Bike Lane
- Sharrow
- Station Entrance
- M Metro Station
- Desire Line

0   25   50   100   150   200
Feet

McPherson Square
A
11/1/2011   1:993

15TH St NW
14TH St NW
15TH St NW
15TH St NW
15TH St NW
14TH St NW
Vermont Ave NW

McPherson Square

McPherson Sq
M

METRO-McPherson Square

I St NW
I St NW
Zei Alley NW
H St NW
H St NW
H St NW
H St NW
NW
NW

Hilton Garden Inn Washington Dc

Existing Bike Parking
- Locker
- Inverted U
- Inverted U on Sled
- Ring and Post
- Custom Art / Other
- Wave / School Rack
- Rack 3
- (Recommend Construct Cover)
- (Remove Parking)

New Bike Parking
- Standard Locker
- Inverted U
- Bike & Ride
- Bike Station
- Covina Modular
- On Demand Locker
- Bike Share
- Construct Cover
- Use Existing Cover

Spot Improvement
- Install or Restripe Crosswalk
- Install Raised Crosswalk
- Install or Repair Curb Ramp
- Install Curb Extension
- Install Crossing Island/Median
- Widen or Reconstruct Island
- Ped Signal Recommendation
- Install Saftey Signs
- Improve Intersection General
- Add Wayfinding to Bike Parking
- Add Wayfinding Signs
- Address Security Issue
- Address Bike Ped Conflict Zone
- Address Barrier or Obstruction
- Other Spot Improvement

Path Recommendations
- Construct New Path
- Widen Existing Path
- Repair/Resurface

On Street Bike Facility
- Bike Lane
- Sharrow
- Desire Line
- Station Entrance
- Metro Station

This map is for planning purposes. The data elements are not drawn to scale; however, in some cases dimensions and other measurements are provided in the associated database. The map reflects the approximate location of recommendations and shows only a portion of the data collected. Additional engineering analysis, design, or public input may be required before implementation. In some cases, further study will be required. Drainage, existing utilities and ADA compliance will need to be evaluated for all recommendations at the time of design and right-of-way was not evaluated as a part of this project.

Page: 1

13TH St NW
12TH St NW
11TH St NW
10TH St NW
G Pl NW
One METRO Center
Metro Center
G St NW
G St NW
G St NW
F St NW
F St NW
F St NW
F St NW
Woodies Building
NW

Existing Bike Parking
- Locker
- Inverted U
- Inverted U on Sled
- Ring and Post
- Custom Art / Other
- Wave / School Rack
- Rack 3
- (Recommend Construct Cover)
- (Remove Parking)

New Bike Parking
- Standard Locker
- Inverted U
- Bike & Ride
- Bike Station
- Covina Modular
- On Demand Locker
- Bike Share
- Construct Cover
- Use Existing Cover

Spot Improvement
- Install or Restripe Crosswalk
- Install Raised Crosswalk
- Install or Repair Curb Ramp
- Install Curb Extension
- Install Crossing Island/Median
- Widen or Reconstruct Island
- Ped Signal Recommendation
- Install Saftey Signs
- Improve Intersection General
- Add Wayfinding to Bike Parking
- Add Wayfinding Signs
- Address Security Issue
- Address Bike Ped Conflict Zone
- Address Barrier or Obstruction
- Other Spot Improvement

Path Recommendations
- Construct New Path
- Widen Existing Path
- Repair/Resurface

On Street Bike Facility
- Bike Lane
- Sharrow
- Desire Line
- Station Entrance
- Metro Station

This map is for planning purposes. The data elements are not drawn to scale; however, in some cases dimensions and other measurements are provided in the associated database. The map reflects the approximate location of recommendations and shows only a portion of the data collected. Additional engineering analysis, design, or public input may be required before implementation. In some cases, further study will be required. Drainage, existing utilities and ADA compliance will need to be evaluated for all recommendations at the time of design and right-of-way was not evaluated as a part of this project.

0 60 120 240 360 480 Feet